



000013681

## **EG&G ROCKY FLATS**

**EG&G ROCKY FLATS, INC.**

ROCKY FLATS PLANT, P.O. BOX 464, GOLDEN, COLORADO 80402-0464 • (303) 966-7000

November 23, 1993

93-RF-14423

Bruce K. Thatcher  
Environmental Restoration Division  
DOE-BEO


ACTIVE TANKS WITHIN OPERABLE UNIT 9 - ORIGINAL PROCESS WASTE LINES -  
BDP-028-93

As per our previous conversations, EG&G Rocky Flats, Inc. Remediation Program Management (RPM) is requesting formal direction from the Department of Energy, Rocky Flats Office (DOE, RFO) on how to disposition tanks within Operable Unit (OU) 9 that are considered "active."

RPM's position is that RCRA [Resource Conservation and Recovery Act] Facility Investigations/Remedial Investigations (RFI/RIs) of active tanks should be postponed and coordinated with Decontamination and Decommissioning (D&D)/Transition efforts. The current Fiscal Year 1995 (FY 95)-FY 99 five year plan currently utilizes this assumption. However, the linkage to D&D without regulatory agency concurrence may put OU 9 into violation of the Interagency Agreement (IAG).

Presently, the release of the draft final technical memorandum for OU 9 for outside building tanks, Operable Unit 9 Technical Memorandum #1, Part A, Volume 1, Outside Building Tanks, is being held pending direction from DOE, RFO on the disposition of these active tanks.

If there are any questions regarding this matter or if further information is required, please contact me at extension 8659, or Suzanne G. Berman at extension 8670 of my staff.

  
Bruce D. Peterman  
Acting OU 9 Project Manager  
ERM/Remediation Project Management

SGB:dqf

Orig. and 1 cc - B. K. Thatcher

**CLASSIFICATION**

UCNI		
UNCLASSIFIED	X	X
CONFIDENTIAL		
SECRET		

**AUTHORIZED CLASSIFIER  
SIGNATURE**

**DOCUMENT CLASSIFICATION**  
**REVIEW WAIVER PER**

DATE CLASSIFICATION OFFICE  
IN REPLY TO RFP CC NO:

### ACTION ITEM STATUS

☐ PARTIAL/OPEN

**~~X~~ CLOSED**

LIR APPROVALS:

BDP: 227

ORIG & TYPIST INITIALS

SGA dqb

RF-46469 (Rev. 9/93)

## ADMIN RECORD

A-01109--000242